





Fanuc - Power Feed Contact

F001	A97L-0001-0664		Power feed contact Lower	OD25 x id9.0 x 10 mm	E. H. K. L. M series
F002	A97L-0126-0001		Power feed contact upper & lower	OD16 x id6.0 x 6.3 mm	O. P. Q. R. T. W series
F003	A290-8008-X107		Power feed contact Upper & lower	OD8.0 x id4.0 x 10 mm	K. N. M series
F004	A290-8032-Z882		Power feed contact grooved Upper & lower	OD16 x id6.0 x 6.3 mm	W1....4 series AWF
F005	A290-8101-X750		Power feeder contact Upper & lower	2.8 x 7.7 x 23 mm	∂-0A/1A/0B/1B series Manual. AWF
F006	A290-8110-X750		Power feed contact Long length / special type upper & lower	4.0 x 12 x 30 mm	∂-C/iA/iB series Manual. AWF
F006-1(23)	A290-8110-X750		Power feed contact Upper & lower	4.0 x 12 x 23 mm	∂-C/iA/iB series Manual. AWF
F006-1(26)	A290-8110-X750		Power feed contact Upper & lower	4.0 x 12 x 26 mm	∂-C/iA/iB series Manual. AWF
F006-2	A290-8008-X107		Power feed contact Upper & lower	3.0 x 12 x 30 mm	∂-0B/0C series Manual. AWF
F007	A290-8048-X759		Power feed contact Upper	OD15 x id6.0 x 6.0 mm	W0 type


Fanuc - Dies & Guide Parts

F101	A290-8021-X762		Guide diamond upper	0.055 mm	P.Q. R. T. W series Manual type OD6.0 x 28 mmL / 5.0 mmT
	A290-8021-X763			0.105 mm	
	A290-8021-X764			0.155 mm	
	A290-8021-X765			0.205 mm	
	A290-8021-X766			0.255 mm	
	A290-8021-X767			0.305 mm	
F102	A290-8021-X772		Guide diamond lower	0.055 mm	P.Q. R. T. W series Manual type OD6.0 x 28 mmL / 5.0 mmT
	A290-8021-X773			0.105 mm	
	A290-8021-X774			0.155 mm	
	A290-8021-X775			0.205 mm	
	A290-8021-X776			0.255 mm	
	A290-8021-X777			0.305 mm	
F102T	A290-8021-Y775		Guide diamond lower for taper	0.205 mm	P.Q. R. T. W series Manual for taper OD6.0 x 28 mmL / 5.0 mmT
	A290-8021-Y776			0.255 mm	
	A290-8021-Y777			0.305 mm	
F103	A290-8032-X773		Guide diamond upper	0.105 mm	V. T. W series AWF OD6.0 x 30 mmL / 5.0 mmT
	A290-8032-X774			0.155 mm	
	A290-8032-X775			0.205 mm	
	A290-8032-X776			0.255 mm	
	A290-8032-X777			0.305 mm	
F103T	A290-8032-Y765		Guide diamond upper for taper	0.205 mm	O. P. Q. R series Manual type for taper OD6.0 x 28 mmL / 5.0 mmT
	A290-8032-Y766			0.255 mm	
	A290-8032-Y767			0.305 mm	
F104T	A290-8032-X765		Guide diamond lower for taper	0.205 mm	V. T. W series Manual type for taper OD8.0 x 33.5 mmL / 5.0 mmT
	A290-8032-X766			0.255 mm	
	A290-8032-X767			0.305 mm	
F105	A290-8018-X443		Guide diamond lower	0.205 mm	K. M. N. L series OD6.0 x 20 mmL / 3.0 mmT AWF
	A290-8018-X444			0.255 mm	
	A290-8018-X445			0.305 mm	
F106	A290-8011-X831		Guide diamond upper & lower	0.105 mm	K. M. N. L series Manual type OD5.0 x 17 mmL / 3.0 mmT 300A power supply
	A290-8011-X832			0.155 mm	
	A290-8011-X833			0.205 mm	
	A290-8011-X834			0.255 mm	
	A290-8011-X835			0.305 mm	
F107	A290-8018-X463		Guide diamond upper	0.205 mm	K. M. N. L series AWF OD8.0 x 20 mmL / 5.0 mmT
	A290-8018-X464			0.255 mm	
	A290-8018-X465			0.305 mm	
F108	A290-8011-X753		Guide diamond upper & lower	0.205 mm	K. M. N. L series Manual type 60C power supply
	A290-8011-X754			0.255 mm	
	A290-8011-X755			0.305 mm	
F110	A290-8101-X730		Guide diamond upper	0.105 mm	ø-A/B/C/iA/iB series Manual type SW10 x 24.5 mmL M5 x 0.5 mm
	A290-8101-X732			0.155 mm	
	A290-8101-X733			0.205 mm	
	A290-8101-X734			0.255 mm	
	A290-8101-X735			0.305 mm	

Fanuc - Dies & Guide Parts

F110T	A290-8103-X705		Guide diamond upper for taper 45 degree	0.205 mm	ø-A/B/C/iA/iB series Manual air-hole=0.5 mm SW10 x 28 mmL M5
	A290-8103-X706			0.255 mm	
	A290-8103-X707			0.305 mm	
F111	A290-8101-X740		Guide diamond lower	0.105 mm	ø-A/B/C/iA/iB series Manual type SW10 x 24.5 mmL M5 x 0.5 mm
	A290-8101-X742			0.155 mm	
	A290-8101-X743			0.205 mm	
	A290-8101-X744			0.255 mm	
	A290-8101-X745			0.305 mm	
F111T	A290-8109-X715		Guide diamond lower for taper 45 degree	0.205 mm	ø-A/B/C/iA/iB series Manual type air-hole=0.5 mm SW10 x 28 mmL M5 x 0.5 mm
	A290-8109-X716			0.255 mm	
	A290-8109-X717			0.305 mm	
F112	A290-8092-X702		Wire guide upper	0.105 mm	ø-A/B/C/iA/iB series AWF L=36.5 mm / OD14 M8 x 1.0 thread
	A290-8092-X703			0.145 mm	
	A290-8092-X704			0.155 mm	
	A290-8092-X705			0.205 mm	
	A290-8092-X706			0.255 mm	
	A290-8092-X707			0.305 mm	
	A290-8092-X708			0.335 mm	
F112T	A290-8104-X705		Wire guide upper for taper 45 degree	0.205 mm	ø-A/B/C/iA/iB series AWF L=42.5 mm / OD14 M8 x 1.0 thread
	A290-8104-X706			0.255 mm	
	A290-8104-X707			0.305 mm	
F113	A290-8110-X712		Wire guide lower	0.105 mm	ø-A/B/C/iA/iB series AWF OD9.0 mm SW10 x 20.5 mmL M5 x 0.5 mm
	A290-8110-X714			0.155 mm	
	A290-8110-X715			0.205 mm	
	A290-8110-X716			0.255 mm	
	A290-8110-X717			0.305 mm	
F113T	A290-8110-Z715		Wire guide lower for taper 45 degree	0.205 mm	ø-A/B/C/iA/iB series AWF OD6.0 mm SW10 x 24.5 mmL M5 x 0.5 mm
	A290-8110-Z716			0.255 mm	
	A290-8110-Z717			0.305 mm	
F124	A290-8110-Y774		Sub die guide insert ceramic (not sapphire) lower	1.0 mm	ø-A/B/C/iA/iB AWF
F128	A290-8104-X620		Guide fine wire spec. for upper ceramic inserted / OD10 x 14 mm	0.3 mm	ø-iB series AWF
				0.5 mm	
Fe140	A290-8021-Y701		V ditch guide (Sapphire roller)	OD12 x id6.0 x 8.0 mm	
Fe140-1	A290-8021-Y702		Shaft	OD10 x 19.5 mm	


Fanuc - Water Nozzle Parts

F125-1C	A290-8102-Y756		Jet nozzle upper ceramic insert L=28 mm	1.5 mm	∅-A/B/C/iA/iB AWF
	A290-8102-Y757			0.5 mm	∅-A/B/C/iA AWF-fine wire option
F126	A290-8102-X723		Nozzle base - 4 screw holes upper	OD58 x 19 mm	∅-A/B series AWF
F127	A290-8110-Y723		Nozzle base - 5 screw holes upper	OD58 x 19 mm	∅-C/iA/iC series AWF
F201			Water nozzle type 3-holes bottom upper & lower	3.0 mm	O. P. Q. R. T. W series Manual type OD25 x 15 mmT
				4.0 mm	
	A290-8021-Y745			5.5 mm	
	A290-8021-Y705			8.0 mm	
F201L			Water nozzle lower long type nozzle T=5.0(L=20 mm) / 10 (L=26 mm) T=20 (L=35 mm) / 30 (L=45 mm)	5.5 mm	O. P. Q. R. T. W series Manual type
F202			Water nozzle type 1-hole bottom upper & lower	3.0 mm	O. P. Q. R. T. W series Manual type OD25 x 15 mmT
				4.0 mm	
				4.4mm	
F204	A290-8037-X879		Water nozzle lower	5.5 mm	W-1....4 series AWF T=9.0 mm
	A290-8037-X870			13 mm (for taper)	
F205	A290-8032-Y611		Water nozzle upper	5.5 mm	W-1....4 series AWF T=15 mm
	A290-8037-X689			11 mm	
F206-1	A290-8021-V722		Water nozzle cap for F201 upper & lower stainless		O. P. Q. R. T. W series
F206-2			Slide shaft for wire guide		O. P. Q. R. T. W series
F206-Set			Nozzle holder assembly		O. P. Q. R. T. W series
F207	A290-8048-X771		Water nozzle upper	7.0 mm	W0 Manual type OD24 x 16.5 mm
F208	A290-8048-X772		Water nozzle lower	7.0 mm	W0 Manual type OD26 x 16 mm

Fanuc - Water Nozzle Parts

[illegible]

Fanuc - Connected & Other Parts

F301	A290-8005-X722		Isolation plate Lower		L - series Manual
F302	A290-8021-X709		Isolation plate Lower	56 x 73 x 10 mm	O. P. Q. R. T. W series
F303	A290-8032-X334		Isolation plate Lower	39 x 73.6 x 12 mm	W4 series AWF
F303W	A290-8048-X333		Isolation plate for suction type Lower	56 x 73 x 10 mm	W3 series semi-AWF
F304	A290-8021-X602		Isolation plate Upper	51 x 33 x 29 mm (Tap max 35 mm)	O. P. Q. R. T. W series
F304A	A290-8037-X692		Isolation plate Upper	51 x 31 x 30 mm (Tap max 39 mm)	W0 old type
			Isolation plate Upper	65 x 43 x 23 mm	W series AWF
F305	A290-8101-X509		Isolation plate Upper	40 x 40 x 34 mm	∅-A/B series
F305-1	A290-8102-X600		Isolation plate Upper	27 x 70 x 48 mm	∅-B series AWF
F305-2	A290-8110-X600		Isolation plate Upper	27 x 70 x 35 mm	∅-1iA series
F306	A290-8110-X312		Isolation plate lower type A	OD72 x 15 mm	∅-A/B/C series
F306A	A290-8110-Y312		Isolation plate lower type B	OD72 x 10 mm	
F307	A290-8101-X761		Guide base Lower	75 x 56 x 66 mm	∅-A/B series


Fanuc - Connected & Other Parts

F307A			Guide base Lower	75 x 56 x 66 mm	∂-C series
F307B	A290-8110-Y761		Guide base Lower	81 x 56 x 66 mm	∂-iA/iB/iC series
F307C			Guide base Lower		∂-iA/iB/iC series
F308	A290-8102-X393		Wire guide		∂-A/C series
F321			Isolation plate Upper	64 x 42 x 23 mm	W0 series
F322			Isolator plate lower	56 x 43 x 15 mm	W0 series
F323	A290-8110-X600		Isolator plate lower refer to F305-2	27 x 70 x 35 mm	∂-series
F324	A290-8102-X600		Isolator plate refer to F305-1	27 x 70 x 48 mm	∂-A/C series
F400	A97L-0001-0670		Bearing 1260Z for F401& F402		W series
F401	A290-8004-X713		Wire sub roller stainless type	OD49 x id6.5 x 6.0 mm	W series
F401-1	A970-0124-X002		Axle for F401 or F401C		W series
F401-2			Bearing cover		W series
F401-3	A970-0124-X003		Nut for wire sub roller (F401)		W series




Fanuc - Connected & Other Parts

F401-set	A290-8004-V316		Wire sub roller stainless type full set with axis & bearing		W series
F401C	A290-8004-X713		Wire sub roller ceramic type	OD49 x id6.5 x 6.0 mm	W series
F401C-set	A290-8004-V316		Wire sub roller ceramic type full set with axis & bearing		W series
F402	A290-8006-X707		Wire sub roller stainless type	OD64 x id6.5 x 6.0 mm	W series
F402-set	A290-8006-X707		Wire sub roller stainless type with bearing		W series
F402C	A290-8006-X707		Wire sub roller ceramic type	OD64 x id6.5 x 6.0 mm	W series
F402C-set	A290-8006-X707		Wire sub roller ceramic type with bearing		W series
F403	A290-8103-X762		Guide base lower Stainless		∅-A/B series
F403-1			Guide base lower for AWF	40 x 40 x 19 mm	∅-B series
F404	A290-8110-X770		Lower guide block A Stainless	59.5 x 49 x 20 mm	∅-iA/iB/iC series AWF. Manual type
F404-1	A290-8101-X765		Lower roller Stainless	OD38 x id22 x 12 mm	∅-A/B/C/iA/iB series
F404-1C	A290-8101-X765		Lower roller Ceramic	OD38 x id22 x 12 mm	∅-A/B/C/iA/iB series
F404-2			Ceramic roller for wire-out	OD39 x id17 x 12 mm	W3




Fanuc - Connected & Other Parts

F405	A290-8101-X394		Feed guide plastic material	13 x 20 x 19 mm	∅-A/B/C series AWF. Manual type
F406	A290-8101-Z382		Pinch roller ceramic included SUS	OD40/28 x 18 mm	∅-A/B series AWF. Manual type
F407	A290-8101-Z383		Feed roller ceramic	OD40/20 x 19 mm	∅-A/B series AWF. Manual type
F408	A290-8102-X393		Feed wire guide polycarbonate	57 x 20 x 20 mm	∅-A/B/C series AWF. Manual type
F409	A290-8101-X371		Brake shoe upper	OD140 x 22 mm	∅-A/B/C series AWF. Manual type
F409i	A290-8111-X371		Brake shoe upper	OD140 x 22 mm	∅-iA/iB/iC series
F409W	A290-8011-V352		Brake shoe upper		O. P. Q. R. T. W series
F409WO	A290-8039-V352		Brake shoe upper	OD100 x 22 mm	W0 series AWF series
F410	A290-8110-X382		Pinch roller ceramic without bearing (F502)	OD40 x id28 x 30 mm	∅-C series AWF. Manual type
F411	A290-8110-X383		Feed roller ceramic	OD40 x id12 x 30 mm	∅-C series AWF. Manual type
F412	A290-8110-Y762		Guide base lower for AWT		∅-C/iA/iB /iC series
F413	A290-8112-X382		Pinch roller	OD80 x 22 mm	∅-0iA/1iA/0iB/1iB AWF. Manual type
F414	A290-8112-X383		Feed roller	OD80 x 22 mm	∅-0iA/1iA/0iB/1iB AWF. Manual type

Fanuc - Connected & Other Parts

F501	A97L-0001-0670		Lower bearing DRF2280H for F404-1 & F404-1C M422 (608-sus / non-rubber)	OD25/22 x id8.0 x 7.0 mm	∅-0iA/1iA/0iB/1iB AWF. Manual type
F502	A97L-0201-0369		Lower bearing SS6001LLU for F406. F410. F417	OD28 x id12 x 8.0 mm (6901RS)	∅-A/B/C series
F503	A97L-0201-0369		Lower bearing SS6203LLU	OD40 x id17 x 12 mm	∅-A/B series
Fe415	A290-8037-X331		Feed roller SUS	OD80 x id28/20 x 18 mm	O. P. Q. T. W series
Fe415C	A290-8037-X331		Feed roller ceramic	OD80 x id28/20 x 18 mm	O. P. Q. T. W series
Fe416	A290-8037-X330		Pinch roller SUS	OD80 x id11 x 18 mm	O. P. Q. T. W series
Fe416C	A290-8037-X330		Pinch roller ceramic	OD80 x id11 x 18 mm	O. P. Q. T. W series
Fe417	A290-8037-X805		Pinch roller	OD60 x id28 x 18 mm	W0 AWF
Fe418	A290-8037-X806		Feed roller	OD60 x id11 x 24 mm	W0 AWF
Fe419			Ceramic roller	OD23 x id12 x 12 mm	W3 semi-auto
Fe420	A290-8032-V742		Pulley ceramic assembly right		Manual type
Fe421			Ceramic roller upper with v-groove for wire-out	OD39 x id17 x 12 mm	W3 semi-auto
Fe421-1	only ass'y		Shaft M4 Guard OD=8.0 mm	OD6.0 x 23 mm	W3 semi-auto

Fanuc - Connected & Other Parts

Fe421-2	only ass'y		Bearing	OD19 x id6.0 x 6.0 mm	W3 semi-auto
Fe422			Roller Lower	OD40 x id14 x 12 mm	W0
Fe504	A97L-0201-0910		Bearing SS6003LLU for F414/F413		∂ -iA/iB/iC/iD series AWF. Manual type
Fe505	A290-8110-X751		Screw Upper		∂ -iA/iB/iC/iD series
Fe506	A290-8112-X752		Screw Upper		∂ -A series
Fe507	A290-8102-X657		Cutting electrode	6.0 x 6.0 x 10 mm (id=2.5 mm)	
Fe508	A98L-0001-0973		V-packing 6-inch		∂ -1iA
Fe509	A98L-0001-0972		V-packing 4-inch		∂ -0iA/0iB
Fe510	A290-8102-X656		Chuck		
Fe511	A97L-0201-0911		Bearing SS6807LLU for F413		∂ -iA/iB/iC/iD series AWF. Manual type
Fe512			Cutter spring	38 x 20 x 13 mm	∂ -A series
Fe513			Cutter spring	38 x 20 x 9.0 mm	∂ -iC series
Fe514	A290-8110-X721		Block		∂ -C series



C/ Narcis Monturiol, 1 Bis - Nave 5
08750 – Molins de Rei (Barcelona)
Tel. +34 93 685 61 95
sagati@sagati.com

[illegible]






Fanuc - Available Other Parts

F104(J)	A290-8032-X732		Guide diamond lower	0.105 mm	V. T. W series AWF OD8.0 x 33.5 mmL / 5.0 mmT
	A290-8032-X734			0.155 mm	
	A290-8032-X735			0.205 mm	
	A290-8032-X736			0.255 mm	
	A290-8032-X737			0.305 mm	
F114(J)	A290-8104-Y705		Wire guide upper for high accuracy type	0.202 mm	ø-A/B/C/iAiB/iC/iD series AWF
	A290-8104-Y706			0.252 mm	
	A290-8104-Y707			0.302 mm	
F114-30T(J)	A290-8112-Z275		Wire guide upper for 30 dg. taper Ceramic insert	0.205 mm (Ruby)	ø-iC/iCP/iD series AWF
	A290-8114-Z725			0.205 mm (PCD)	
	A290-8112-Z726			0.255 mm (Ruby)	
	A290-8114-Z726			0.255 mm (PCD)	
F114-45T(J)	A290-8112-Z705		Wire guide upper for 45 dg. taper Ceramic insert	0.205 mm (Ruby)	ø-iC/iCP/iD series AWF
	A290-8112-Z706			0.255 mm (Ruby)	
F115(J)	A290-8110-Y715		Wire guide lower for high accuracy type	0.202 mm	ø-A/B/C/iAiB/iC/iD series AWF
	A290-8110-Y716			0.252 mm	
	A290-8110-Y717			0.302 mm	
F115-30T(J)	A290-8112-Z735		Wire guide lower for 30 dg. taper Ceramic insert	0.21 mm (Ruby)	ø-iC/iCP/iD series AWF
	A290-8114-Z735			0.21 mm (PCD)	
	A290-8112-Z736			0.26 mm (Ruby)	
	A290-8114-Z736			0.26 mm (PCD)	
F115-45T(J)	A290-8112-Z715		Wire guide lower for 45 dg. taper Ceramic insert	0.21 mm (Ruby)	ø-iC/iCP/iD series AWF
	A290-8112-Z716			0.26 mm (Ruby)	
F120(J)	A290-8110-Y726		Sub die guide Upper	id=1.0 mm	ø-A/B/C/iA/iB series AWF
F121(J)	A290-8110-X774		Sub die guide Lower	id=1.0 mm	ø-A/B/C/iA/iB series AWF
F122(J)	A290-8101-X753		Ruby guide Upper	id=0.35 mm	ø-A/B/C/iA/iB series AWF
F123(J)	A290-8037-X645		Die guide Upper	id=0.4 mm	W series
F125-5(J)	A290-8102-Y761		Jet nozzle for AWF Upper	id=1.0 mm	ø-A/B/C. iA...iD series

Fanuc - Available Other Parts

F421(J)	A290-8119-X382		Pinch roller Ceramic		∅-iD series AWF
F422(J)	A290-8119-X383		Feed roller Ceramic		∅-iD series AWF
NVT	A290-8004-V335		Reel divisible		
NVT	A290-8004-X410		Felt pad		
NVT	A290-8021-X745		Insulating guide		
NVT	A290-8032-V853		Roller assembly		
NVT	A290-8032-X626		Wire cutter for AWT		W1...W4 series
NVT	A290-8039-Y913		Roller A		
NVT	A290-8039-Y914		Roller		
NVT	A290-8101-X771		Cover		
NVT	A290-8104-X612		Block		
NVT	A290-8104-X633		Detection pin		
NVT	A290-8110-V165 /FLTW		Float switch		

Fanuc - Available Other Parts

NVT	A97L-0124-T001		Rolling tip complete		
NVT	A97L-0126-0001 /15S1P		Electrode pin		
NVT	A98L-0001-0938 /1573		Clip		
NVT	A98L-0001-0938 /1555		Clip		
NVT	A98L-0203-0097		Coupler		
NVT	A91L-0001-0066		Flow meter		
NVT	A97L-0001-0652		Wire guide PCD Upper & lower H=15 mm	id=0.21/ 0.26 mm	E. H. I. J series
NVT	A97L-0001- 0664/15S1P		Power feed contact lower 15S1P	OD25 x id9.0 x 10 mm	W0...W4. O. P. Q. R. T. V series
NVT	A97L-0001-0670 /1650HH		Bearing 1650HH		
NVT	A97L-0001-0670 /LF1450ZZ		Bearing LF1450ZZ		
NVT	A97L-0001-0670 /1450Z		Bearing 1450Z		
NVT	A97L-0001-0670 /LF1470ZZ		Bearing LF1470ZZ		
NVT	A97L-0001-0670 /1560ZZ		Bearing 1560Z		